



RELEASE NOTES

Version 11

Document last updated: July 30, 2024

Reference: sds-en-sdse-release notes-v11.2



Table of contents

New behavior	3
SDS Enterprise 11.2 new features and enhancements	4
SDS Enterprise 11.2 fixes	5
Compatibility	6
Known issues	7
Explanations on usage	8
Documentation resources	. 13
Downloading this version	. 14
Previous versions of SDS Enterprise v11	. 15
Contact	.24

In the documentation, Stormshield Data Security Enterprise is referred to in its short form: SDS Enterprise, and the Stormshield Data Management Center in the form SDMC.

This document is not exhaustive and minor changes may have been included in this version.



Page 3/25

New behavior

Change introduced in version 11.1.1

Starting with SDS Enterprise version 11.1.1, the agent is now installed by default with a security policy, which applies if you don't use your own security policy.

Changes introduced in version 11.0

The Stormshield Data Authority Manager administration tool has been replaced by the Stormshield Data Management Center web administration interface. Policies defined in SDMC Data Authority Manager cannot be configured in Stormshield. To obtain help on the reproduction of security policies in SDMC and the migration of encryption keys and signature of users from version 10 to version 11 of SDS Enterprise, contact your commercial team Stormshield.

In the Properties of the SDS Enterprise agent, the icons of the following features are no longer available: **File, Shredder, Virtual Disk** and **Mail**, as well as the **Automatic update** icon. These features are now fully configurable via the SDMC administration console.

Stormshield Data Mail for Lotus Notes has been removed from SDS Enterprise.

The .NET cmdlets or APIs for logging in/out and locking/unlocking the SDS Enterprise account, available via the Connector component, are now disabled in cases where users log in to their SDS Enterprise account in SSO mode.

SDS Enterprise agent version 11.0 is only available for Microsoft Windows 64-bit workstations.





SDS Enterprise 11.2 new features and enhancements

•

WARNING BEFORE UPDATING THE AGENT

From SDS Enterprise version 11.1.1 onwards, the agent is now installed by default with a security policy.

As a consequence, if you already use a customized security policy in your environment, it will be replaced by the default policy when the agent is updated. It will be then necessary to deploy again your policy after the update.

You will not need to deploy again your customized policy during future updates of the agent from version 11.1.1 to a higher version.

SDS Enterprise agent

Sharing protection rules with the Stormshield Data Share feature

When you use the Stormshield Data Share feature to automatically protect folders synchronized with your collaborative workspaces, you can now share protection rules with your coworkers. Once the rule has been created for a folder, it automatically applies to all coworkers listed in the rule, and their files are protected when they are placed in the folder.

This feature is available in the agent interface via a checkbox in the coworker selection window, as well as via PowerShell commands usable with Stormshield Data Connector.



Changing coworker access to a file or folder

The new **Edit access** menu allows users present in a protection rule to give or remove access to coworkers. The menu can be used on a folder, a file or several files at once.







SDS Enterprise 11.2 fixes

Stormshield Data File

Support reference: STORM-3352

An error that could block the simultaneous encryption of two files has been corrected.

Stormshield Data Virtual Disk

Support reference: STORM-171

The speed of virtual disk creation has been increased.

Stormshield Data Team

Support reference: STORM-44

A processing error that could prevent the decryption of files with the Stormshield Data Team feature has been corrected.

Coworker search

Support reference: STORM-108

The search time in the LDAP directory via the add coworker window when encrypting files, folders or virtual disks has been improved.





Compatibility

Refer to the Product life cycle guide to find out more on compatibility with Microsoft Windows

Web browsers (server)

Microsoft Edge	Latest stable version
Google Chrome	Latest stable version
Mozilla Firefox	Latest stable version

Synchronizers for automatic file protection

Oodrive WebSynchro		
SharePoint Online/Office 365		
OneDrive Entreprise/for Business in Office 365		
SharePoint 2016 (on-premises)		
Dropbox and Dropbox Business		



Known issues

The up-to-date list of the known issues related to this version of SMC is available on the Stormshield Knowledge base. To connect to the Knowledge base, use your MyStormshield customer area identifiers.



Explanations on usage

Stormshield Data Management Center

In SDMC, public key infrastructures (PKIs) cannot be managed, unlike in Stormshield Data Authority Manager version 10.

Smart cards/tokens

For the SDS Enterprise middleware to function properly, the smart card minidrivers of the cryptographic medium in question must be installed on the workstation.

The smart card reader for a cryptographic medium cannot be changed during the course of a Windows session. If you have started using a smart card in a certain reader, you must restart your Windows session in order to use this card in another reader.

Virtual card accounts can only be created with RSA keys of up to 2048 bits. This limitation also applies to SSO accounts whose keys are stored on a virtual card.

Microsoft Virtual Smart Cards and certain types of smart cards associated to their middleware do not support the RSA-0AEP-SHA-256 encryption algorithm. This incompatibility prevents .sdsx files from being decrypted. For more information, refer to the Stormshield knowledge base.

Kernel

After the SDS Enterprise agent has been installed or after changes have been made to the security policy, the workstation must be restarted for the policy to be correctly applied.

Malfunctions may occur when connecting two cryptographic devices (token and/or card) at the same time on a workstation. This restriction does not apply when the SmartCard support Stormshield middleware is used.

When the Windows setting for the size of the elements is set to more than 100%, the SDS band in the connection window and in the "About" window does not display on the entire width of the window.

When importing PGP keys, if the window Password required is resized, the buttons Cancel and OK do not correctly display.

When peers are selected from the LDAP directory for an encryption operation, for peers that have several certificates, SDS Enterprise will always suggest the most recent certificate, even if it has been revoked. The encryption operation will therefore fail. We recommend deleting revoked certificates from your LDAP directory.





When a *.usi* account from the SDAM is installed on a user's workstation, the values of the parameters prescribed by the *.json* policy configuration file prevail when the kernel starts up, and when the user logs in.

The type of SSO account used to log in to the SDS Enterprise account depends on the operation of the smart card or USB token account type. The agent card extension must therefore be installed for it to run.

When an SDS Enterprise account is blocked, the only way for a password account to be unblocked is via the account's backup password.

Specific revocation list download protocols cannot be disabled (HTTP, FILE, etc.).

The date on which the revocation list was last downloaded is no longer shown in the revocation controller. However, an entry in the Windows event log is generated.

The recovery account certificate must have Data Encipherment and Key Encipherment features.

Stormshield Data File

User access management - the "Edit access" menu cannot be used when selecting both files and folders.

SDS Enterprise currently does not support Microsoft OneNote documents.

When a file is protected in .sdsx format, or protection is removed from an .sdsx file, Windows permissions applied to the file are restricted to the session user only and to the permissions inherited from the parent folder.

If it is not possible to save a protected document currently being edited (the document has been renamed or deleted in the meantime, or the document is on a network share and the connection is interrupted), the user must change the save location or rename the document.

Multiple users can simultaneously edit a document protected by Stormshield Data File.

The SDSX FORMAT does not support RSA keys for certificates strictly below 2048 bits.

Temporary decryption folders cannot be protected locally with the Data Team module.

Stormshield Data Share

Automatic folder protection cannot apply to folders already protected by Team.

By default, Microsoft applications are not allowed to "Save as" in synchronized shared spaces, to prevent sharing files in plaintext.





When automatic document protection is enabled for a folder and you use the "Save as" function on the applications concerned, you need to close the application from which you saved the file for the file to be visible in the automatically protected folder.

The file path from the root of the synchronized folder must not exceed 185 characters, including extensions (e.g., .pptx, .sdsx). Otherwise, the file will not be protected and will no longer be accessible.

To ensure that files moved to a Dropbox synchronized space are automatically protected, use the drag and drop or copy and paste functions. If you use the **Move to Dropbox** pop-up menu on a file, it will not be protected.

When an automatic protection rule is applied to the content of a folder, or when protection is removed from the content of a folder after an automatic protection rule has been disabled, the Windows permissions applied to the files contained in the folder are restricted to the session user and to the permissions inherited from the parent folder.

Share is not supported on network shares, file servers or external drives.

If the "padlock" icon is not visible on a protected folder, check in the registry, in "Computer\HKEY LOCAL

MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Explorer\ShelllconOverlayIdentifiers", that the following keys are positioned above the existing keys in the tree:

- EncrypterOverlayIcon
- SDSShareOverlayIcon

If this is not the case, add spaces before their names and restart Explorer in order to apply the change.

The protection of a folder cannot be modified if you have already protected or modified access to one of its sub-folders or parent folders.

The "padlock" icon is not visible on a synchronized OneDrive folder because OneDrive does not support overlapping icons.

User access management - the "Edit access" menu cannot be used:

- · when both files and folders are selected.
- on a simultaneous selection of several protected folders or on an unprotected folder.

Sharing protection rules - for a shared protection rule on a folder to apply to a user, they must be logged into their SDS Enterprise account, be among the recipients of the rule and browse to the folder concerned.

Sharing protection rules - an automatic protection rule defined locally on a collaborative workspace folder by one user and not shared is overwritten if another user defines a shared rule on the same folder, including the first user.



Sharing protection rules - if two users define a different shared protection rule on the same folder, the most recent rule is taken into account.

Sharing protection rules - when a user deletes a folder with a shared protection rule by placing it in the Recycle Bin, the rule remains active until the Recycle Bin is emptied.

Sharing protection rules - A shared protection rule cannot be converted into a non-shared rule, and vice versa.

Stormshield Data Mail

Microsoft Outlook's message recall feature is not compatible with Stormshield Data Mail encryption.

Encrypted messages cannot be sent to recipients over Microsoft Exchange in offline mode in Microsoft Outlook. A connection is required for SMTP address resolution.

Users may sometimes not be able to open .sdsx files attached to encrypted messages It is therefore recommended to download attachments before opening them.

PGP messages received as attachments (.msg) cannot be opened by dragging and dropping them in an Outlook folder.

When the Outlook reading pane is disabled, simply double-clicking on a large encrypted message will not open it. You must double-click twice on the message.

The encryption band does not display when writing a new encrypted email via the **Start** menu if Outlook is not running. The email will thus be correctly encrypted.

The Mail add-in is not compatible with Kaspersky Outlook Anti-Virus Addin. If the certificates of the recipient are not available, some e-mails can be sent as they are not encrypted.

We do not recommend removing the smart card to lock a SDS Enterprise card account whereas an e-mail is being saved as the backup will not work.

In Windows Explorer, .msg files signed or encrypted with Outlook cannot be opened. In this case, apply the workaround described in the Stormshield Knowledge base (authentication required).

Stormshield Data Virtual Disk

You are advised against using a Virtual Disk volume on remote spaces. A correction timeout may prevent access to the disk or changes made to the disk may not be saved.





Stormshield Data Team

Stormshield Data Team is not compatible with the backup tool Veeam. The tool prevents folders protected with a Team rule from being encrypted.

In Microsoft Windows 10 and 11, when the user encrypts a folder, the SDS Enterprise padlock icon does not always appear on encrypted files. However files are correctly encrypted.

The Shadow Copy volume backup system, enabling version management in Windows Explorer among other things, is not supported by Stormshield Data Team.

Synchronized directories such as SharePoint, Dropbox, Office 365, Google Drive on premise, etc. are not supported by Stormshield Data Team and therefore cannot be secured by the module. We recommend excluding these directories from the folders analyzed by Stormshield Data Team using the advanced **Folder exclusion** setting available in Team functionality configuration in the SDMC administration console.



Documentation resources

The following technical documentation resources are available on the **Stormshield technical documentation** website. We recommend that you rely on these resources to get the best results from all features in this version.

Guides

- · Stormshield Data Security Enterprise Administration guide
- · Stormshield Data Security Enterprise Advanced configuration guide
- Stormshield Data Security Enterprise Advanced user guide
- Stormshield Data Security Enterprise User guide
- Stormshield Data Security Enterprise Architecture and security guide
- Stormshield Data Authority Manager User Guide
- Stormshield Data Connector User Guide



Downloading this version

Going to your MyStormshield personal area

You need to go to your MyStormshield personal area in order to download the 11.2 version of Stormshield Data Security Enterprise:

- 1. Log in to MyStormshield with your personal identifiers.
- 2. In the left panel, select Downloads.
- 3. In the right panel, select the relevant product and version.

Checking the integrity of the binary files

To check the integrity of Stormshield Data Security Enterprise binary files:

- 1. Enter one of the following commands and replace filename by the name of the file you want to check:
 - Linux operating system: sha256sum filename
 - Windows operating system: CertUtil -hashfile filename SHA256
- 2. Compare with hashes provided on MyStormshield personal area, section Downloads.



Previous versions of SDS Enterprise v11

In this section, you will find the new features and fixes from previous versions of Stormshield Data Security Enterprise 11.x.

11.1.1		Bug fixes
11.1	New features	Bug fixes
11.0	New features	Bug fixes





SDS Enterprise 11.1.1 fix

•

WARNING BEFORE UPDATING THE AGENT

From SDS Enterprise version 11.1.1 onwards, the agent is now installed by default with a security policy.

As a consequence, if you already use a customized security policy in your environment, it will be replaced by the default policy when the agent is updated. It will be then necessary to deploy again your policy after the update.

You will not need to deploy again your customized policy during future updates of the agent from version 11.1.1 to a higher version.

Stormshield Data Virtual Disk

Support reference: STORM-154

A memory crash which would prevent the SDS Enterprise agent version 10 from updating to version 11 has been fixed.



SDS Enterprise 11.1 new features and enhancements

Stormshield Data Management Center (SDMC)

Managing keys for using the SDMC API

A new tab API keys is available in SDMC. It allows administrators with the Manage API keys permission to create API keys, valid for one year by default. API keys allows them to use the SDMC public API, particularly to access administration logs. Administrators can also permanently delete these keys.



Accessing the administration logs via the SDMC API

It is now possible to access administrators connection logs through the SDMC API. Among other things, these logs indicate the connection mode used by the administrators (password or SAML).

You can still access the administration logs which were already available in the version 1 of SDMC through the API.

Security policy signature

The PS256 algorithm used by default at the time of signature of the policies. The previous RS256 signature algorithm remains functional with the signature utility and the SDS Enterprise agent.



Managing users' keys and certificates in Password accounts

In the Accounts > Creation menu of a security policy, in the Password account creation section, the checkboxes for selecting the source of user keys and certificates have been replaced by a drop-down list.

Excluding folders from encryption with the Team feature

In the Team settings of a security policy, you can now specify a list of folders on which a user will not be able to create a Team security rule to automatically secure the folder. The list is recursive and automatically includes sub-folders.



New secure deletion mode with the Shredder feature

In the Shredder advanced settings of a security policy, you can now configure the secure file deletion mode. This feature would write a series of characters in bytes in several rounds, replacing the file contents. SDMC now makes it possible to select the values of the successive rounds which replace the contents to be deleted.







Importing security policies in SDMC

You can now import a *.json* format security policy in SDMC which has been previously exported from SDMC. However, LDAP directories and authorities certificates indicated in the policy are not imported.



Advanced configuration of security policies

The following changes have been made to the JSON parameters of security policies:

- In the accountPolicy creation automatic section, the encryptionKeyAuthorityId and signatureKeyAuthorityId parameters are now optional.
- In the accountPolicy parameters- cryptography section, the new optional parameter keyEncryptionMethod allows selecting the algorithm to use for encrypting the keys.
- In the diskPolicy section, the new parameter encryptionAlgorithm is used to select the algorithm to be used when encrypting secured virtual volumes.

SDS Enterprise agent

Updating a signatory policy

Users are now informed after the security policy signatory has been updated used with the SDS Enterprise agent.



Encryption of volumes with the Virtual Disk functionality

The AES-XTS encryption algorithm can now be used to encrypt the secured virtual volumes generated with the SDS Enterprise agent.

Find out more





Page 19/25

SDS Enterprise 11.1 fixes

Stormshield Data Mail

Support reference: STORM-56

An error resulting from an invalid policy or an expired signature certificate was displayed when opening each Outlook message. The problem was corrected by applying less restrictive permissions.

Support reference: STORM-57

A single click on **Send** is now enough to send a message when several LDAP servers are declared, and one of them is not functional.

SDS Enterprise agent

Support reference: STORM-15

The SDS Enterprise agent now operates properly when installed jointly with the Sentinel One software.



Stormshield Data Security Enterprise 11.0 features and enhancements

Stormshield Data Management Center (SDMC)

SDS Enterprise administration

SDS Enterprise can now be managed in the 11.2 web administration interface, which includes the following features:

- Centralized definition of LDAP directories so that they can be used when policies are created,
- Centralized definition of authority certificates, as well as data recovery certificates so that they can be used when policies are created,
- Configuration of security policies for SDS Enterprise agents, and then generating them in *json* format. Through these policies, you can configure the use of SDS Enterprise features.
- Downloads of the latest version of the SDS Enterprise agent and the security policy signature tool. Signatures make it possible to guarantee the authenticity and integrity of policies,
- Access management for administrators of a corporate account: you can invite or delete administrators or modify their permissions.

You can also manually configure security policies directly in *.json* configuration files. These files enable the same level of configuration as Stormshield Data Authority Manager.

For more information on configuring policies and deploying agents in a pool, refer to the *Administration Guide* and the SDS Enterprise *Advanced configuration guide*.

SaaS mode

11.2 is in SaaS mode; new features and fixes are continuously provided, regardless of the SDS Enterprise agent version. Following the commercial release of SDS Enterprise version 11, a page listing the latest enhancements to 11.2 will be available on the **Stormshield Technical Documentation** website and continuously updated.

Authenticating administrators with SAML

You can now choose between two connection modes to access SDMC: the standard mode with an e-mail address and password, and SAML mode, which makes it possible to delegate the authentication of administrators to an identity provider.



SDS Enterprise agent

Sign-On (SSO) connection

Through Windows SSO mode, SDS Enterprise users can now connect directly to the agent via their Windows sessions. Users' encryption and signature keys are saved in the Microsoft certificate manager.







Automatic folder and sub-folder protection locally or in a synchronized space

The Stormshield Data Share feature allows users to enable automatic protection on a local folder or shared space. It also allows administrators to configure automatic protection of all or some synchronized shared spaces for all users. OneDrive, DropBox, SharePoint and Oodrive are supported.

The Stormshield Data Connector component, which drives the features of the SDS Enterprise solution through a PowerShell module or .NET APIs, now makes it possible to enable and disable the automatic protection of synchronized spaces via Stormshield Data Share.



Updating security policies

When a security policy update is available on a distribution point, SDS Enterprise agents now apply it automatically when the user's workstation starts.



Selecting co-workers

When using File, Team, Share and Virtual Disk, users can now select groups of users with whom they work. These groups can be selected from the local trusted address book or from an LDAP directory (Active Directory).

Improved agent pop-up menus

Menus that enable the use of the File, Team and Share features have been reorganized to facilitate their use.

SDS Enterprise Documentation

SDS Enterprise technical documentation has been restructured as follows:

Document	Contains
Version release	New firewall behavior,
notes	New features and enhancements,
	Bug fixes,
	Compatibility,
	Explanations on usage.
Administration Guide	Installing and uninstalling the solution,
	Configuration and administration via SDMC,
	Configuration of File, Team, Share, Mail and Virtual Disk features.
Advanced configuration guide	• Configuration and administration via a security policy's configuration file in <i>.json</i> format,
	Configuration via the SBox.ini file and the advanced parameters of the registry base,
	Configuration of File, Team, Share, Mail and Virtual Disk features.
Advanced user guide	Advanced use of the File, Team, Share, Mail, Shredder, Sign and Virtual Disk features, intended for solution administrators.

Page 21/25



Document	Contains
User guide	Daily use of the File, Team, Share, Mail, Shredder, Sign and Virtual Disk features, intended for solution end users.
Stormshield Data Connector	Configuration and use of Stormshield Data Connector.
Architecture and security guide	Technical information regarding the confidentiality, integrity and availability of our users' data.

Information contained in former Stormshield Data File, Team, Mail, Shredder, Sign and Virtual Disk guides have been spread out among the administration guide, advanced configuration guide and advanced user guide.



Stormshield Data Security Enterprise 11.0 fixes

Stormshield Data Mail

Support reference: 208745CW

A message's security can now be disabled even when the message does not contain the sender's SMTP address.

Support reference: 199751CW

When sending secure messages, the issue with an error indicating that the message was too large in some cases has been fixed.



Contact

To contact our Stormshield Technical Assistance Center (TAC):

- https://mystormshield.eu/
 All requests to technical support must be submitted through the incident manager in the private-access area https://mystormshield.eu, under Technical support > Manage cases.
- +33 (0) 9 69 329 129
 In order for us to provide high-quality service, you are advised to use this communication method only to follow up on incidents that have been created earlier on https://mystormshield.eu.





All images in this document are for representational purposes only, actual products may differ.

Copyright © Stormshield 2024. All rights reserved. All other company and product names contained in this document are trademarks or registered trademarks of their respective companies.